



Talenti

OUTDOOR LIVING

ACCESSORIES



ACCESSORIES



INDEX

Jackie	05	Kukà	137
Mr X	35	Malè//lamps	151
Zeus	45	Coral//lamps	161
Athena	53	Tofee//lamps	169
Venere	63	Scacco	175
Marte	69	Tikal	183
Vulcano	79	Showergate	193
Apollo	85	Path	199
Carpets	91	Cart	207
Casilda//lamps	109	Ray	215
Tribal//lamps	115	Box	221
Cleo//lamps	125	Planters	227



Jackiecollection





Jackiecollection

small, medium & big pouf
rope in dark grey colour












Jackiecollection

small & big lamp
rope in dove colour










Jackiecollection

planter
white colour
rope in light grey colour



Jackiecollection

Finishing

Aluminium frame



white



graphite



white



graphite

Steel frame

Synthetic ropes



dove



light grey



dark grey



hunter green

Wood slats



teak

BEAN BAG / CODE: JACBAG



Width	Depth	Height
117	167	62

30,0

unit 1
1.08 mc




LIVING ARMCHAIR / CODE: JACPL



Width	Depth	Height	H. armrest	H. seat
80	78	73	57	35

14,0

unit 2
0.54 mc



POUF SMALL / CODE: JACPUFP



Width	Depth	Height
57	57	26

5,0

unit 1
0.09 mc



POUF MEDIUM / CODE: JACPUFM



Width	Depth	Height
64	64	32

7,0

unit 1
0.09 mc



POUF BIG / CODE: JACPUFG



Width	Depth	Height
83	83	38

11,0

unit 1
0.28 mc



LAMP SMALL / CODE: JACLAMPP



KG 7,0

unit 1
0.15 mc

0%

LED 5W
2700K



LAMP BIG / CODE: JACLAMPG



KG 11,0

unit 1
0.33 mc

0%

LED 5W
2700K



FLOOR LAMP / CODE: JACLAMPT



KG 16,0

unit 1
0.48 mc

0%

LED 5W
2700K



BASKET / CODE: JACBAK



KG 4,0

unit 1
0.11 mc

0%




PLANTER / CODE: JACPLAN



KG 17,0

unit 1
0.48 mc

0%





MrXcollection
Design Marco Acerbis



MrXcollection

sun sail
graphite colour





MrXcollection

Design Marco Acerbis

Finishing

Aluminium frame



canopy



white

MRX / CODE: MRX01





Width 425 | Depth 443 | Height 230

KG 60,0 | unit 1+1+1+1 0.5 mc | 8% | LED 20 W 2800K



SISTEMA DI APERTURA / OPENING SYSTEM



- 1 - Copertura massima vela 2,8x2,8 m.
- 2 - Illuminazione led da 20W con profilo su trave superiore, alimentazione a batteria ricaricabile estraibile, accensione con telecomando.
- 3 - Alla base dei due pali la struttura è provvista di piastre per l'ancoraggio al suolo tramite tasselli.
- 4 - Apertura con sistema a compasso.
- 5 - Due pali con ruota alla base per facilitare l'apertura della struttura.
- 6 - Sistema di apertura/chiusura vele tramite avvolgitore manuale.
- 7 - Telo 100% PET Tinto Massa idrorepellente da 220 gr/mq

Specifiche:
 Peso della strttura 60kg
 Pali in alluminio con profilo 100x60 mm
 Altezza della struttura 230cm
 In caso di condizioni avverse avvolgere le vele per evitare danni alla struttura, cose e persone.

- 1 - Maximum coverage of the canopy 2.8x2.8 m.
- 2 - 20W led lighting with profile on upper beam, power supply with removable rechargeable battery, ignition with remote control.
- 3 - At the base of the two poles, the structure is supplied with plates designed for the floor fastening through anchoring dowels.
- 4 - Compass opening system.
- 5 - To facilitate the opening system, the structures is equipped with two rotating poles provided with wheels.
- 6 - Sail opening and closing system with manual cranck.
- 7 - Canopy 100% PET Solution Dyed FR water-repellent 220 gr/mq


Technical specifications:
 Structure weight 60kg
 Aluminium Pole 100x60 mm
 Height of the structure 230cm
 In case of bad weather conditions, we strongly recommend to roll up the sails in order to avoid damages to the structure, to objects and persons.



Parasolcollection
// Zeus



Parasolcollection
// Zeus



Parasolcollection

// Zeus

Finishing

Aluminium frame



anodized

Waterproof fabric canopy




white

Features



360°



3x4



4x4



optional

- 1-Telo 3x4 o 4x4 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo. Apposite guide di scorrimento ne facilitano lo spostamento.
- 4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile. Il palo girevole permette all'ombrellone di ruotare di 360°.
- Basamento in granito (180kg) con ruote.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi bluetooth.

- 1-Canopy 3x4 or 4x4 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole. Sliding guides make movements easier.
- 4-Canopy opening/closure with removable hand crank.
- Turning pole allows parasol a 360° rotation. Granite base (180kg) with wheels.
- 5-Optional: umbrella bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Telo UV80+
Altezza ombrellone 300 cm
Basamento granito 180 kg 80x80x10 cm
Resistenza al vento massima 39-49 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
UV80+ Canopy
Parasol height 300 cm
Granite base 180 Kg 80x80x10 cm
Max. wind resistance 39-49 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

ZEUS 3x4 / CODE: PARZES-A

KG 228,0

unit 1+1+1+1
0.53 mc



P1 A10

ZEUS 4x4 / CODE: PARZES2-A

KG 240,0

unit 1+1+1+1
0.53 mc



P1 A10





Parasolcollection
// Athena







Parasolcollection

// Athena

Finishing

Aluminium frame



Waterproof fabric canopy



Features




- 1-Telo 3x4 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
- Apposite guide di scorrimento ne facilitano lo spostamento.
- 4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
- Il palo girevole permette all'ombrellone di ruotare di 360°.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.
- 6-Basamento in acciaio di colore bianco o tortora. Per una stabilità ottimale si consiglia l'utilizzo di n. 10 piastre in graniglia 50x50x3,5cm (pesi non inclusi).

- 1-Canopy 3x4 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole.
- Sliding guides make movements easier.
- 4-Canopy opening/closure with removable hand crank.
- Turning pole allows parasol a 360° rotation.
- 5-Optional: umbrella Bluetooth speaker with led lights.
- 6-Steel base in white or dove colour. For a better stability we recommend you to use 10 grit plates 50x50x3,5cm (weights not included).

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Altezza ombrellone 310 cm
Telo UV80+
Basamento in acciaio 55x133x20 cm
(Pesi non inclusi)
Restistenza al vento massima 39-49 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
Parasol height 310 cm
UV80+ Canopy
Steel base 55x133x20 cm
(weights not included)
Max. wind resistance 39-49 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

ATHENA 3x4 / CODE: PARATH





Parasolcollection
// Venere



Parasolcollection

//Venere

Finishing

Aluminium frame





anodized

Waterproof fabric canopy



white

Features



- 1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
- Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
- Inclinabile fino a 50° su ambedue i lati.
- Il palo girevole permette all'ombrellone di ruotare di 360°.
- 4-Basamento in granito (125 kg) con ruote.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

- 1-Canopy 3x3 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole.
- Canopy opening/closure with removable hand crank. Reclining up to 50° on both sides.
- Turning pole allows parasol a 360° rotation.
- 4-Granite base (125 kg) with wheels.
- 5-Optional: umbrella Bluetooth speaker with led lights.



Specifiche:
Palo in alluminio 90x65 mm
7 Stecche in alluminio 28x14 mm
Altezza ombrellone 280 cm
Telo UV80+
Basamento granito 125 kg 80x80x7 cm
Restistenza al vento massima 29-38 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:
Aluminium Pole 90x65 mm
No.7 aluminium ribs 28x14 mm
Parasol height 280 cm
UV80+ Canopy
Granite base 125 Kg 80x80x8 cm
Max. wind resistance 29-38 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

VENERE 3x3 / CODE: PARVEN



P1 A10





Parasolcollection
//Marte







Parasolcollection

//Marte

Finishing

Aluminium frame



Waterproof fabric canopy



Features




- 1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
- 4-Basamento in cemento (90 kg) con ruote, di colore bianco o mokka in tinta alla struttura.
- Il palo girevole permette all'ombrellone di ruotare di 360°.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

- 1-Canopy 3x3 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole.
Canopy opening/closure with removable hand crank.
- 4-Concrete base (90kg) with wheels, available in white or mokka colour.
Turning pole allows parasol a 360° rotation.
- 5-Optional: umbrella Bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 80x65 mm
7 Stecche in alluminio 28x14 mm
Altezza ombrellone 290 cm
Telo UV80+
Basamento in cemento 90 kg 70x70x8 cm
Restistenza al vento massima 29-38 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:
Aluminium Pole 80x65 mm
No.7 aluminium ribs 28x14 mm
Parasol height 290 cm
UV80+ Canopy
Concrete base 90 Kg70x70x8 cm
Max. wind resistance 29-38 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

MARTE 3x3 / CODE: PARMAR





Parasolcollection
// Vulcano




Parasolcollection

// Vulcano

Finishing

Aluminium frame




white

Waterproof fabric canopy



white

Features




- 1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
- 2-Optional: illuminazione a batteria ricaricabile.
- 3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
- Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
- Inclinabile fino a 50° su ambedue i lati.
- 4-Basamento con crociera in acciaio colore bianco. Per una stabilità ottimale si consiglia l'utilizzo di n.4 piastre in graniglia 50x50x4cm (pesi non inclusi).
- Il palo girevole permette all'ombrellone di ruotare di 360°.
- 5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

- 1-Canopy 3x3 in 250g polyester with PU coating.
- 2-Optional: umbrella lights with rechargeable battery.
- 3-Retractable opening system allows umbrella closure parallel to the pole.
- Canopy opening/closure with removable hand crank. Reclining up to 50° on both sides.
- 4-Steel white cross base with 4 grit plates. For a better stability we recommend you to use 4 grit plates 50x50x4cm (weights not included).
- Turning pole allows parasol a 360° rotation.
- 5-Optional: umbrella Bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 80x60 mm
8 Stecche in alluminio 20x14 mm
Altezza ombrellone 280 cm
Telo UV80+
Basamento con 4 piastre in graniglia 50x50x4 cm (pesi non inclusi)
Restistenza al vento massima 29-38 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:
Aluminium Pole 80x60 mm
No.8 aluminium ribs 20x14 mm
Parasol height 280 cm
UV80+ Canopy
Base with 4 grit plates in size 50x50x4 cm(Weights not included)
Max. wind resistance 29-38 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

VULCANO 3x3 / CODE: PARVUL





Parasolcollection
// Apollo



Parasolcollection

// Apollo

Finishing

Aluminium frame



white



grahite

Waterproof fabric canopy





white



dark grey

Features




- 1 - Telo 2x2 in tessuto da 220g in poliestere trattato in PU.
- 2 - Sistema di apertura semplice ed intuitivo, spingere il tetto dell'ombrellone verso l'alto finché il meccanismo non si arresta.
- 3 - Puntale in alluminio cromato.
- 4 - Basamento in acciaio colore bianco da 40 kg.

- 1 - Canopy 2x2 in 250g polyester with PU coating.
- 2 - Easily parasol opening: push upwards the parasol roof until it locks.
- 3 - Chrome-plated alu tip.
- 4 - Steel white base 40 Kg.

Specifiche:
Palo in alluminio ø 38 mm
4 Stecche in alluminio ø 20 mm
Altezza ombrellone 245 cm
Telo UV80+
Basamento in acciaio 40 kg 50x50x2 cm
Restistenza al vento massima 30 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:
Aluminium pole diam. 38 mm
Parasol height 250 cm
No. 4 aluminium ribs diam. 20 mm
UV80+ Canopy
Steel base 40 Kg 50x50x2 cm
Max. wind resistance 30 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

APOLLO 2x2 / CODE: PARAPO





Carpetcollection

// Quadro

// Ribs





// Ribs






Carpetcollection
// Quadro
// Ribs

Finishing


Fabric quadro



Fabric ribs



QUADRO 400x300 / CODE: TAPQ3



Width
400 | Depth
300





KG 48,0




unit 1
0.32 mc



0%

QUADRO 300x200 / CODE: TAPQ1



Width
300 | Depth
200





KG 30,0



unit 1
0.27 mc



0%

QUADRO 240x160 / CODE: TAPQ2



Width
240 | Depth
160





KG 15,0




unit 1
0.18 mc



0%

RIBS 400x300 / CODE: TAPR3



Width
400 | Depth
300





KG 48,0




unit 1
0.32 mc



0%

RIBS 300x200 / CODE: TAPR1



Width
300 | Depth
200





KG 30,0



unit 1
0.27 mc



0%

RIBS 240x160 / CODE: TAPR2



Width
240 | Depth
160





KG 15,0




unit 1
0.18 mc



0%

QUADRO DIAM 300 / CODE: TAPQ4





Width
300

Depth
300

F1

F2

F3


F8

KG 50,0

unit 1
0.32 mc



QUADRO DIAM 200 / CODE: TAPQ5



Width
200

Depth
200

F1

F2

F3

F8

KG 30,0

unit 1
0.27 mc







Casildacollection
// Lamps
Design Ramón Esteve



Talenti®

Casilda

collection // Lamps

Design Ramón Esteve

Finishing

Stainless steel frame

I2

mokka

I3

gold

I4

white

I5

graphite

Accoya wood table top

L8

iroko colour

L10

stonewood colour

LAMP L / CODE: CASILAMPL



Width 23 | Depth 20 | Height 175 |

KG

10,0

unit 1

0.12 mc

☁️ ⚡️

💡

LED 28W

2800K

⚡️

I2

L8

I3

L8

I4

L8

I5

L10

LAMP S / CODE: CASILAMPS



Width 63 | Depth 15 | Height 40 |

KG

5,0

unit 1

0.02 mc

☁️ ⚡️

💡

LED 6W

2800K

⚡️

I2

L8

I3

L8

I4

L8

I5

L10

LAMP XS / CODE: CASILAMPXS



Width 23 | Depth 20 | Height 40 |

KG

2,5

unit 1

0.02 mc

☁️ ⚡️

💡

LED 2W

2800K

⚡️

I2

L8

I3

L8

I4

L8

I5

L10



Tribalcollection


// Lamps

Design Ludovica + Roberto Palomba

Tribalcollection

small, medium & big lamp
dove frame
sand colour rope







Tribalcollection // Lamps

Design Ludovica + Roberto Palomba

Finishing

Aluminium frame

A5

yellow

A6

teal green

A7

red

A13

dove

A14

graphite

R10

dark grey

R19

yellow

R21

red

R22

sand

R23

teal green

TRIBAL BIG / CODE: TRIB01



Width 60 | Depth 60 | Height 175 |

KG 11,0

unit 1 0.76 mc

LED 7W 2800K

A13

R22

A14

R10

A5

R19

A6

R23

A7

R21

TRIBAL MEDIUM / CODE: TRIB02



Width 45 | Depth 45 | Height 85 |

KG 4,0

unit 1 0.23 mc

LED 7W 2800K

A13

R22

A14

R10

A5

R19

A6

R23

A7

R21

TRIBAL SMALL / CODE: TRIB03



Width 45 | Depth 45 | Height 45 |

KG 2,5

unit 1 0.13 mc

LED 3.5W 2800K

A13

R22

A14

R10

A5

R19

A6

R23

A7

R21

TRIBAL CELIN / CODE: TRIB04



Width 45 | Depth 45 | Height 71 |

KG 3,0

unit 1 0.19 mc

LED 7W 2800K

A13

R22

A14

R10

A5

R19

A6

R23

A7

R21



Cleocollection
// Lamps
Design Marco Acerbis









Cleo collection // Lamps

Design Marco Acerbis

Finishing

Aluminium frame

A12

white

A14

graphite

Stainless steel frame

I4

white

I5

graphite

I6

dove

LANTERN H66 / CODE: CLEL01



Width	Depth	Height
35	35	66

KG

9,0

unit 1

0.11 mc

☁☀

💡

LED 3,5W

2800K

⚡

I4

I5

I6

LANTERN H90 / CODE: CLEL02



Width	Depth	Height
40	40	90

KG

10,0

unit 1

0.17 mc

☁☀

💡

LED 7W

2800K

⚡

I4

I5

I6

LANTERN H120 / CODE: CLEL03



Width	Depth	Height
45	45	120

KG

12,0

unit 1

0.28 mc

☁☀

💡

LED 7W

2800K

⚡

I4

I5

I6

ARC LAMP / CODE: CLEALUL02



Width	Depth	Height
201	45	225

KG

18,0

unit 1

0.18 mc

☁☀

🔑

💡

LED 12W

2800K

⚡

A12

A14



Kukàcollection
Design Studio Adolini





Kukàcollection

medium & big lamp
graphite and sand colour
planter diam 40 cm in sand colour
planter diam 60 cm in graphite colour





Finishing

Eco-resin for Lamp / Coffee Table



Sand



Graphite

Cylindrical frame



Trasparent PMMA

Leather belt



brown

Eco-cement for Planter



Sand



Graphite

BIG LAMP / CODE: KUKL01



Width	Depth	Height
23	23	90

KG 7,5	unit 1 0.07 mc		LED 7W 2800K	
--------	----------------	--	--------------	--



MEDIUM LAMP / CODE: KUKL02



Width	Depth	Height
21	21	60

KG 5,0	unit 1 0.04 mc		LED 3,5W 2800K	
--------	----------------	--	----------------	--



SMALL LAMP / CODE: KUKL03



Width	Depth	Height
16	16	23

KG 1,5	unit 1 0.01 mc		LED 3,5W 2800K	
--------	----------------	--	----------------	--



COFFEE TABLE D50 / CODE: KUKTC50



Width	Depth	Height
50	50	43

KG 8,5	unit 1 0.13 mc		LED 3,5W 2800K	
--------	----------------	--	----------------	--



COFFEE TABLE D80 / CODE: KUKTC80



Width	Depth	Height
80	80	33

KG 14,0	unit 1 0.25 mc		LED 3,5W 2800K	
---------	----------------	--	----------------	--



PLANTER D60 / CODE: KUKP60



Width	Depth	Height
60	60	60

KG 33,3	unit 1 3.22 mc	
---------	----------------	--

EC1

EC2

PLANTER D40 / CODE: KUKP40



Width	Depth	Height
40	40	70

KG 17,2	unit 1 1.15 mc	
---------	----------------	--

EC1

EC2





Malècollection

// Lamps

Design Ludovica + Roberto Palomba





Malécollection

small & big lamp
white colour

Malécollection

small & big lamp
dove & graphite colour



Malècollection // Lamps

Design Ludovica + Roberto Palomba

Finishing

Stainless steel frame

I4

white

I5

graphite

I6

dove

Translucent polyethylene

PE1t

white

PE2t

dove

PE3t

graphite

LAMP H190 / CODE: MALL190



Width	Depth	Height
52	52	190

KG

23,0

unit 1

0.60 mc

☁️

☀️

💡

LED 98W

4000K

🔌

220v

I4

PE1t

I6

PE2t

I5

PE3t

LAMP H90 / CODE: MALL90



Width	Depth	Height
52	52	87

KG

15,0

unit 1

0.26 mc

☁️

☀️

💡

LED 48W

4000K

🔌

220v

I4

PE1t

I6

PE2t

I5

PE3t



Coralcollection
// Lamps
Design Marco Acerbis



Coralcollection

small, medium & big lamp
rope in beige colour
white colour frame



Talenti®

Coralcollection // Lamps

Design Marco Acerbis

Finishing

Aluminium frame



white
graphite

Synthetic ropes



dark grey
beige

Wood



teak

LAMP H125/ CODE: CORLAMPH125




Width	Depth	Height
31	31	125

KG9,5

unit 10.14 mc

LED 7W2800K



LAMP H95/ CODE: CORLAMPH95




Width	Depth	Height
31	31	95

KG8,5

unit 10.11 mc

LED 7W2800K



LAMP H45/ CODE: CORLAMPH45




Width	Depth	Height
28	28	45

KG6,0

unit 10.04 mc

LED 3.5W2800K





Toffeecollection
// Lamps





Tofeecollection// Lamps

Finishing

Aluminium frame



white




graphite

TOFEE / CODE: TOF01



Width	Depth	Height
11	11	19






Scaccocollection

// Partition

Design Ludovica + Roberto Palomba







Scaccocollection

// Partition

Finishing

Aluminium frame



graphite



beige

Syntetic rope




beige



dark grey

PARTITION H135 / CODE: SCAPAR135



Width 100 | Depth 5 | Height 135



9,0



unit 1


0,12 mc



0%



A21



R9




A14



R10

PARTITION H200 / CODE: SCAPAR200



Width 100 | Depth 5 | Height 200



13,0



unit 1


0,18 mc



0%



A21



R9



A14



R10



Tikalcollection
Design Nicola de Pellegrini





Tikalcollection

Design Nicola de Pellegrini

KITCHEN CHEST / CODE: TIKMAD

Finishing

Metal frame

Doors frame

MT1

L2

magnesit

accoya wood natural teal colour

KG

130,0


unit 1+1

1.28 mc

0%

✂

🔑



Madia

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato. 4 ante a battente disponibili o in magnesit o in legno di accoya tinto natural teal con maniglia ad incasso gola, apertura 125° a sgancio rapido e chiusura blumotion. Top in gres. Misure 1600x600x740 h - peso 130 kg. Dimensioni interne del vano 74x52x48,5 h

Kitchen chest

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting. 4 swing doors avaiable in magnesit or in accoya wood, natural teal colored with recessed handles, fast release 125° opening and blumotion latch. Gres top. Dimensions: 1600x600x740 h - weight 130 kg. Internal dimensions of the compartment 74x52x48,5 h

SHELF MODULE 120X190 / CODE: TIKSCA120

KG

50,0

unit 1+1+1+1

1.28 mc

0%


✂

🔑



Modulo scaffale 120x190

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato. Scaffale con mensole metalliche removibili e regolabili. Misure 1220x1900x350 - peso 50 kg



Shelf module 120x190

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting. Shelf with removable and adjustables metal shelves. Dimensions 1220x1900x350 - weight 50 kg

SUSPENDED CABINET WITH FLAP DOOR 118X36 / CODE: TIKSCA120M

KG

20,0


unit 1

0.19 mc

0%

✂

🔑




Pensile con anta a ribalta 118x36

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato. Anta a ribalta con maniglia ad incasso gola, apertura 107° e chiusura blumotion. Misure 1180x365x350 - peso 20 kg *abbinabile solo al modulo scaffale 120x190

Suspended cabinet with flap door 118x36

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting. Flap door with recessed handles, 107° opening and blumotion latch. Dimensions 1180x365x350 - weight 20 kg *only compatible with shelf module 120x190




Modulo scaffale 80x190

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato. Scaffale con mensole metalliche removibili e regolabili. Misure 800x1900x350 - peso 40 kg

Shelf module 80x190

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting. Shelf with removable and adjustable metal shelves. Dimensions: 800x1900x350 - weight 40 kg



Mobile base 76x72

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nera RAL 9004 alte temperature testurizzato. Anta a battente con maniglia ad incasso gola, apertura 125° a sgancio rapido e chiusura blumotion. Misure 760x700x350 - peso 25 kg
*abbinabile solo al modulo scaffale 80x190

Cabinet base 76x72

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting. Swing door with recessed handles, fast release 125° opening and blumotion latch. Dimensions 760x700x350 - weight 25 kg
*only compatible with shelf module 80x190





Showergatecollection
Design Marco Acerbis



Showergatecollection

Design Marco Acerbis

Finishing

Alluminium frame



white



graphite

Wood base



accoya natural teak colour

SHOWER GATE / CODE: DCCG01



Width	Depth	Height
90	100	220

KG 26.0

unit 1 0.38 mc

0%

L2

A12

L2

A14



Pathcollection

// Planter

Design Filippo Cagnotto



Pathcollection

planter h85 / h100 / h120
graphite colour frame



Talenti®

Pathcollection // Planter

Design Filippo Cagnotto

Finishing

Stainless steel frame



PLANTER H85 / CODE: PAT85



Width	Depth	Height
100	40	85



PLANTER H100 / CODE: PAT100



Width	Depth	Height
100	40	100



PLANTER H120 / CODE: PAT120



Width	Depth	Height
100	40	120



PLANTER+HANDRAIL H85/ CODE: PAT85H



Width	Depth	Planter H.	Handrail H.
100	64	85	93



PLANTER+HANDRAIL H100/ CODE: PAT100H



Width	Depth	Planter H.	Handrail H.
100	64	100	93



PLANTER+HANDRAIL H120/ CODE: PAT120H



Width	Depth	Planter H.	Handrail H.
100	64	120	93





Cartcollection







Cartcollection

Finishing

Aluminium frame



white



dove



graphite

Wood slats






teak

CART / CODE: ACCCAR



Width 90 | Depth 55 | Height 76





Raycollection





Raycollection

Aluminium frame



charcoal



graphite





dove

SMALL SERVING TABLE / CODE: RAYVP





Width 60 | Depth 60 | Height 45



BIG SERVING TABLE / CODE: RAYVG



Width 60 | Depth 60 | Height 73





Boxcollection





Accessoriescollection

// Box

Finishing

Aluminium frame



white



dove



graphite

Textilene covering



white



dove




silver black

BOX / CODE: BOXAL01



Width	Depth	Height
130	60	58





Accessoriescollection
// Planters
Design Roberto Serio







Accessoriescollection

// Planter

Finishing

Steel frame



white



graphite

PLANTER / CODE: ACCFIO



Width	Depth	Height
88	27	60

KG 16,0	unit 1 0.19 mc	
---------	----------------	--




BIOETHANOL FIREPLACE / CODE: ACCCAM



Width	Depth	Height
88	27	66

KG 20,0	unit 1 0.20 mc	
---------	----------------	--




STONE PLANTER / CODE: ACCFIOSTO



Width	Depth	Height
88	27	90

KG 22,0	unit 1 0.21 mc	
---------	----------------	--




PLANTER OLIVE DECORATE / CODE: ACCDEC1



Width	Depth	Height
88	27	170

KG 30,0	unit 1+1 0.48 mc		
---------	------------------	--	--




PLANTER AGAVE DECORATE / CODE: ACCDEC2



Width	Depth	Height
88	27	170

KG 30,0	unit 1+1 0.48 mc		
---------	------------------	--	--



Materials

Alluminio / Aluminium



Teal green



Charcoal



Silver



Bianco
White



Tortora
Dove colour

Alluminio / Aluminium



Grafite
Graphite



Mokka



Bianco
White



Grafite
Graphite



Tortora
Dove colour

Acciaio inox / Stainless steel

Alluminio: Grazie alla fusione di più leghe di alluminio che ne garantiscono solidità, maneggevolezza ed inattaccabilità alla ruggine, è un materiale di elavata qualità e permette di raggiungere i massimi risultati qualitativi ed estetici.
Inox: L'acciaio inossidabile è un materiale che, grazie alla sua alta resistenza alla corrosione e alle caratteristiche meccaniche di rilievo, risulta maggiormente duraturo e affidabile nel tempo.
Acciaio: Lega di ferro e carbonio con percentuale di carbonio inferiore al 2% trattata per resistere agli agenti atmosferici con il processo della cataforesi e verniciatura a polvere.

Manutenzione: Per mantenere a lungo il prodotto in buone condizioni, consigliamo una corretta pulizia periodica, particolarmente frequente in località caratterizzate da forte umidità e clima marino. Si raccomanda di pulire le superci con un panno morbido utilizzando acqua o detersivi neutri. Prolungate ed ininterrotte esposizioni a intense radiazioni UV o a temperature molto rigide possono incidere sulle caratteristiche iniziali del rivestimento estetico colorato costituito da poliestere. Consigliamo di pulire e conservare in luoghi riparati i prodotti durante periodi d'inutilizzo prolungato e invernali.

Aluminum: Thanks to the fusion of several aluminum alloys that guarantee solidity, manageability and rust resistance, it is a material of high quality and allows to reach the maximum qualitative and aesthetic results.
Inox: Stainless steel is a material that, thanks to its high resistance to corrosion and to the mechanical characteristics of relief, is more durable and reliable over time.
Steel: Iron and carbon alloy with carbon percentage less than 2% treated to resist to the atmospheric agents with the cathophoresis process and powder coating.

Maintenance: To keep the product in good condition for a long time, we recommend a regular cleaning period, particularly frequent in places characterized by high humidity and marine climate. We recommend cleaning the surfaces with a soft cloth using water or neutral detergents. Prolonged and uninterrupted exposures to intense UV radiation or at very low temperatures can affect the initial characteristics of the colored polyester coating. We recommend cleaning and storing products in sheltered areas during long periods of non-use and winter.

Materials

Corde sintetiche / Synthetic ropes



Grigio scuro
Dark grey



Grigio scuro
Dark grey



Tortora
Dove



Grigio chiaro
Light grey



Grigio scuro
Dark grey



Verde militare
Hunter green



Giallo
Yellow



Rosso
Red



Sabbia
Sand



Verde petrolio
Teal green



Beige

Doppia treccia costruita con anima in poliestere e copertura in propilene multi filamento. La fibra esterna di cui è composta è impermeabile e resistente ai raggi UV.

Si raccomanda di pulire con prodotto neutro e panno non abrasivo.

Double braid made with polyester core and multi-filament propylene cover. The external fiber is waterproof and resistant to UV rays.

It is recommended to clean with a neutral product and a non-abrasive cloth.

Materials

Legni / Wood



Teak



Accoya natural teak colour

Teak: Materiale di elevata qualità ideale per la realizzazione di mobili da esterno perché estremamente resistente ai cambiamenti di temperatura, all'acqua, all'umidità e alla salsedine.

Trattandosi di un materiale naturale si potrebbero osservare variazioni di colore o anche crepe dovute al grado di umidità ed ai bruschi cambiamenti di temperatura. Qualora non ricevesse alcun trattamento di manutenzione, mediante l'applicazione periodica di comuni e specifici protettivi a base olio, la superficie potrebbe prendere una patina grigio argento che potrà essere eliminata con una leggera carteggiatura superficiale e successiva lucidatura con panno di iuta. Piccole macchie superficiali dovute ad olio o altri prodotti alimentari dovranno essere rimosse tempestivamente, prima che il legno possa assorbirle in profondità, carteggiando la superficie interessata e lucidandola successivamente con un panno di iuta.

Teak: High quality material suitable for outdoor furniture because it is extremely resistant to changes in temperature, water, humidity and saltiness.

Being a natural material, colour variations or even cracks due to the degree of humidity and sudden changes in temperature may be observed. If no maintenance treatment is received, through the periodic application of common and specific protective oil-based, the surface may take a silver-gray patina that can be easily removed with a light surface sanding down and subsequent polishing with a jute cloth. Small superficial stains due to oil or other food products must be removed promptly, before the wood can absorb them in depth, sanding down the affected surface and then polishing it with a jute cloth.

Materials

Tappeti / Carpet



Canvas



Grigio chiaro
Light grey



Grigio scuro
Dark grey



Rosso
Red



Verde scuro
Dark green



Canvas



Grigio chiaro
Light grey



Grigio scuro
Dark grey



Verde scuro
Dark green

I tappeti sono realizzati in filato di fibra sintetica, hanno un trattamento idrorepellente, antimacchia e antimuffa.
Il filato in PP ha una resa ottimale in ambienti esterni, per durata e resistenza agli agenti atmosferici ed ha un elevata stabilità ai raggi UV.

Manutenzione quotidiana: aspirapolvere senza spazzole.
Manutenzione periodica: lavaggio a secco o pulizia a vapore.
Macchie: tamponare con un panno pulito; agire con detergenti specifici seguendo attentamente le istruzioni del produttore.

All the carpets are made of synthetic fabric and through a special treatment they are waterproof, stain-resistant and anti-bacterial.
The PP yarn ensures an excellent performance in terms long-lasting durability, weather and UV rays resistance.

Daily cleaning: vacuum cleaner without brushes.
Deeper cleaning: professional dry cleaning or steam cleaning.
Stains: pat the area with a clean cloth; use specific detergents following the manufacturer's instructions.

Materials

Tessuto 100% pl, idrorepellente / 100% pl fabric, water repellent



Bianco
White



Grigio scuro
Dark grey



Tortora
Dove

Il poliestere è un materiale adatto all'arredo esterno perchè semplice da pulire, trattare e lavare. Ha elevate caratteristiche meccaniche: resiste alla rottura, alla luce, all'abrasione, non si deforma in modo permanente ed ha un ottimo recupero elastico. È idrorepellente, quindi perfetto se installato vicino ad un bordo piscina o se esposto a situazioni climatiche avverse.

Prima di chiudere l'ombrellone è importante assicurarsi che il telo sia perfettamente asciutto. Durante i mesi di non utilizzo l'ombrellone deve essere riposto in un ambiente asciutto e protetto dalla relativa cover. Evitare il contatto prolungato con sostanze grasse e/o coloranti che potrebbero venire assorbite dal materiale di rivestimento e dare luogo a macchie permanenti, oltre che deteriorare la struttura del filato. Non usare solventi. Utilizzare acqua e detergenti liquidi non abrasivi con PH neutro e incolori. Eventualmente lasciare agire il detergente alcuni minuti. Sciacquare abbondantemente con acqua a temperatura non superiore a 30°C.

Polyester is a material suitable for outdoor furniture because it is easy to clean, treat and wash. It has high flexural strenght characteristics: it resists breakage, light, abrasion, does not deform permanently and has an excellent elastic shape recovery. It is water repellent, therefore perfect if installed near swimming pool areas or if exposed to adverse weather conditions.

Before closing the parasol it is important to make sure that the cloth is perfectly dry. During the months of not using the umbrella must be stored in a dry place and protected by the appropriate cover. Avoid prolonged contact with greasy substances which could be absorbed by the coating material and give rise to permanent stains, as well as deteriorating the yarn structure. Do not use solvents. Use water and non-abrasive liquid detergents with neutral PH and colourless. If necessary, allow the detergent to act for a few minutes. Rinse with water at a temperature not exceeding 30 ° C.

Materials

Textilene



Bianco
White



Tortora
Dove



Silver black

Il Textilene è una fibra di poliestere protetta da un rivestimento in PVC. Le fibre vengono poi legate insieme in modo da ottenere una sostanza fibrosa particolarmente solida è permanente, resistente allo stiramento ed immune da strappi. La caratteristica più importante è la sua elasticità, offre un'eccellente resistenza alle muffe e alle macchie, e presenta un trattamento superficiale contro la degradazione UV.

Il textilene può essere pulito semplicemente con un panno di spugna con acqua saponata. Abrasivi e solventi devono essere assolutamente evitati! Si asciuga molto rapidamente a causa della loro struttura aperta.

Textilene is a polyester fiber protected by a PVC coating. The fibers are bonded together so in order to obtain a particularly solid fibrous material which is durable, resistant to stretching and wear resistant too. The most important characteristic is its elasticity, offers excellent resistance to inhibits mold and stains, and has a surface treatment against UV degradation.

Textilene can simply be cleaned with a sponge cloth with soapy water. Abrasives and solvents must absolutely be avoided! It dries very quickly due to their open structure.

Materials

100% Translucent polyethylene



Bianco
White



Tortora
Dove colour



Grafite
Graphite

Il polietilene è un materiale plastico molto adatto all'arredo esterno. Ha una superficie particolarmente pratica, lavabile, resistente ai raggi UV e agli agenti atmosferici nel corso del tempo. Ha un'elevata resistenza agli urti, una resistenza eccellente alla corrosione e ai prodotti chimici. Non è penetrabile da liquidi come acqua, soluzioni saline o alcool. Non utilizzare acidi ossidanti, quali acido Nitrico, acido solforico o alogeni.

Polyethylene is a plastic material that is perfectly suitable for outdoor furniture. Its surface is particu-larly practical, washable, UV and weather- resistant over the time. Not penetrable by liquids such as water, salt solutions or alcohol, this material stands out also for its high-impact resistance and its excellent resistance to corrosion and chemicals. Do not use oxidising acids, such as nitric acid, sulphuric acid or halogens.

Materials

Eco-resina / Eco-cemento



Sabbia
Sand



Grafite
Graphite

Eco-resina e Eco-cemento sono un mix di materiali 100% ecologici che riducono di oltre 2/3 il peso rispetto al tradizionale cemento, conser-vando la naturalezza e l'aspetto materico dello stesso. Eco-Resina è una resina acrilica naturale a base d' acqua, non teme il gelo e la lunga esposizione al sole. Tutti gli articoli trattati con più strati di vernici all'acqua, quindi tutto a basso impatto ambientale.

Pulire con un panno umido senza utilizzare solventi troppo aggressivi. Non è penetrabile da liquidi come acqua, soluzioni saline o alcool.

Eco-resin and Eco-cement are a mix of 100% eco-friendly materials. Compared to traditional concrete, they are characterized by a reduced weight by more than 2/3, while preserving the naturalness and the material aspect of the cement. Eco-Resin is a natural, water-based acrylic resin, resistant to frost and to long exposure to the sun. All items are treated with several coats of water-based paints, guaranteeing a low environmental impact.

For proper maintenance it is recommended to clean it with a damp cloth avoiding the use of aggressive solvents. It is not penetrable by liquids such as water, salt solutions or alcohol.

Materials

Cover



Realizzato con un accoppiato in 3 strati. I due strati esterni sono di propilene ed hanno funzione sia estetica, sia di protezione della membrana interna. La membrana interna è il tessuto tecnico che svolge la maggior parte del lavoro e che ha le proprietà di permeabilità all'aria e impermeabilità. Lavaggio: acqua e sapone, no lavaggio a macchina o a secco.


- Composizione tessuto: polipropilene
- Peso del tessuto: gr 170 circa
- Resistenza alla lacerazione (chiodo):
N(MD) 180 - norma EN12310-1
- Resistenza alla penetrazione d'acqua:
mm 1200 - norma EN 1928
- Permeabilità all'aria l/(mq-s):
norma EDANA 140.2-99
- Trasmissione del vapore acqueo: Sd value m 0,051 - norma EN 12752.
- Protezione contro i raggi UV 500/1000 ore

It is made of three coupled layers. The external ones are made of propylene whose function is not only the aesthetic one, since it also protects the internal membrane. Such membrane is the technical fabric that plays the most important role: the permeabilty to air and the impermeabilty. Washing: to wash with soap and water, do not wash in washing maschine or dry cleaning.

- Composition of the fabric: propylene
- Weight of the fabric: about gr 170
- Resistance to laceration (nail):
N(MD) 180 - EN12310-1 Standard
- Resistant to water penetration:
mm 1200 - EN 1928 Standard
- Resistance to air penetration l/(mq-s):
EDANA 140.2-99 Standard
- Water vapor transmission: Sd value m 0,051 - regulation EN 12752.
- protection against UV 500/1000 hours

Technical information

Legenda / Legend




Peso netto KG
Net weight KG




Unità per imballo
Unit for box




Resistente alle intemperie
Weather-resistant




Impilabile
Stackable




Pieghevole
Folding



Imbottitura in dry foam
Quick dry foam padding



Articolo da assemblare
To assemble




Piedini con ruote
Feet with wheels



Provvisto di illuminazione
With lighting system



Alimentazione a batteria
Battery powered



Alimentazione a 220V
220V power supply

Per ogni articolo sono indicate caratteristiche, dimensioni, peso, numero dei pezzi nell'imballo, materiali e colori.

For each item are provided features, sizes, weight, packaging, material, available colours.

CONDIZIONI GENERALI DI VENDITA

- 1. I colori, disegni e misure dei prodotti presenti nel catalogo sono indicativi. La Talenti Spa ha facoltà di eliminare o modificare i modelli delle proprie collezioni senza alcun preavviso.
- 2. I prezzi dei modelli standard sono espressi nello specifico listino prezzi fornito dall'azienda. Per quanto riguarda gli articoli su misura il preventivo verrà tempestivamente fornito dalla Talenti dietro richiesta del cliente.
- 3. L'acquirente è tenuto a controllare sempre la merce e ad indicare nel DDT la data di ricevimento, la persona che la riceve ed il timbro della ditta, nonché le eventuali anomalie nel materiale.
- Talenti Spa accetterà esclusivamente reclami presentati entro 5 (cinque) giorni dal ricevimento della merce.
- 4. La Talenti Spa con la consegna al vettore in nessun caso risponde dei rischi a cui la merce è sottoposta durante il trasporto. Quindi eventuali ammanchi, rotture, deterioramenti o manomissioni sono a totale carico dell'acquirente.
- 5. Gli ordini dovranno essere fatti per scritto utilizzando i codici, descrizioni e prezzo come da catalogo e listini prezzi relativi.
- 6. Per ogni controversia è competente il foro di Terni (Italia).

GENERAL CONDITIONS OF SALE

- 1. The colours, drawings and sizes of the products in this catalogue are approximate. Talenti Spa reserves the right to discontinue or change the models in its collections at any time without advance notice.
- 2. The prices of the standard models are expressed in the specific price list that Talenti Spa will provide. Concerning customized items the offer will be immediately made and provided by Talenti Spa on request of the customer.
- 3. The purchaser is always required to inspect the goods and indicate on the transport document the date of receipt, the person who received it and the company's stamp, as well as any anomalies found in the material. Talenti Spa will not accept any claims presented more than 5 (five) days after receipt of the goods.
- 4. Once Talenti Spa has delivered products to the carrier, it is no longer responsible for risks these are subject to during transport. The purchaser is thus totally responsible for any missing pieces, breakage, deterioration or tampering.
- 5. Orders must be in writing using the codes, descriptions and prices shown in the catalogue and price lists.
- 6. The Court of Terni (Italy) will be exclusively competent for any disagreements.

INFORMATIVA AI SENSI ART.13 D. Lgs. n. 196/03

"Codice in materia di protezione dei dati personali"

Il trattamento dei dati personali si svolge nel rispetto dei diritti e delle libertà fondamentali, con particolare riferimento alla riservatezza e al diritto alla protezione.

Il trattamento viene effettuato per adempiere ad obblighi amministrativo-contabili e fiscali e per l'esecuzione degli obblighi contrattuali.

I Vs. dati possono essere comunicati, oltre che a tutti gli incaricati del trattamento all'interno dell'azienda, a consulenti amministrativi, contabili e legali, ad Istituti Bancari.

Titolare del trattamento è TALENTI SPA avente sede legale in Strada Amerina km 4,5, 05022 - Amelia (Tr) - Italy

Al Titolare del trattamento ci si potrà rivolgere per far valere i diritti previsti dall'art. 7 del D.Lgs 196/03.

NOTICE UNDER DL 196/2003, THE PRIVACY LAW

Your personal information will be handled with respect for your rights and fundamental liberties and with particular reference to confidentiality and the right of protection.

Your information will be handled to fulfil our administrative, accounting and tax obligations and to fulfil our contractual obligations. In addition to the company's employees assigned to handle your information internally, it may also be communicated to administrative, accounting and legal consultants and to banks.

The owner of the information for handling purposes is Talenti spa, which is located at Strada Amerina km 4,5, 05022 - Amelia (Tr) - Italy

You may contact the owner to assert your rights under article 7 of DL 196/2003.

© 2021/2022 - Talenti Spa - Prima edizione
Tutti i diritti riservati - All rights reserved

GRAPHIC DESIGN CONCEPT:
Studio Palomba Serafini Associati
Talentì Technical Department

GRAPHIC DESIGN EDITING:
Talentì Technical Department

PHOTOS:
Giordano Mocchegiani
Giordano Mocchegiani per Rplus
Roberto Sacchini
Gruppo Bento

DECOR:
Francesca Conti
Silvia Garattoni
Talentì Technical Department

POST PRODUCTION:
Area 453

SELECTION:
Studio 59

COPYWRITING:
Talentì Spa

PRINT:
Varigrafica srl

THANKS TO:
Paola Paronetto
Noleggio Cose
Serax
Cedit-Ceramiche d'Italia (Made in Florim)
Salvadori
Rina Menardi
Kristina Dam Studio
101 Copenhagen
Form and Refine
Agave Fioristi
Sheyn

Talentì Spa
Strada Amerina km 4,5
05022 - Amelia (Tr) - Italy
customerservice@talentispa.com
www.talentispa.com